



Cromwell™

STAINLESS STEEL TOOLS

Our new range of stainless steel tools avoid ferrous contamination, thus preventing rust formation. These tools can be sterilized frequently to maintain high standards of hygiene.

An Extensive Range of Stainless Steel Tools

- Open end Spanners
- Ring Spanners
- Slogging Spanners
- Pliers
- Adjustable Wrenches
- Screw Drivers
- Hammers
- Sockets
- Allen Keys
- Tweezers
- Knives
- Chisels
- and many more...

Over
800
Products

Available in Grades:

304 : 25 HRC, Non Magnetic, High Corrosion Resistance

420 : 52 HRC, Magnetic, Medium Corrosion Resistance

SS 316: 19 HRC, Non-Magnetic, High Corrosion Resistance. **Available on Request**

KENNEDY®

Since
1982

**Combination
Wrench**

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
6mm	5700B	5800B
7mm	5700C	5800C
8mm	5700D	5800D
9mm	5700E	5800E
10mm	5700F	5800F
11mm	5700G	5800G
12mm	5700H	5800H
13mm	5700J	5800J
14mm	5700K	5800K
15mm	5700L	5800L
16mm	5700M	5800M
17mm	5700N	5800N
18mm	5700P	5800P
19mm	5700Q	5800Q
20mm	5700R	5800R
21mm	5700S	5800S
22mm	5700T	5800T

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
23mm	5700V	5800V
24mm	5700W	5800W
25mm	5700X	5800X
26mm	5700Y	5800Y
27mm	5700Z	5800Z
30mm	5701C	5801C
32mm	5701E	5801E
34mm	5701G	5801G
36mm	5701J	5801J
38mm	5701L	5801L
41mm	5701P	5801P
46mm	5701V	5801V
50mm	5701Z	5801Z
55mm	5702E	5802E
60mm	5702K	5802K
65mm	5702Q	5802Q

Striking Open Wrench

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
17mm	5707D	5807D
19mm	5707F	5807F
22mm	5707J	5807J
24mm	5707L	5807L
27mm	5707N	5807N
30mm	5707R	5807R
32mm	5707T	5807T
36mm	5707Y	5807Y
41mm	5708D	5808D
46mm	5708J	5808J
50mm	5708N	5808N
55mm	5708T	5808T
60mm	5708Z	5808Z
65mm	5709E	5809E

Striking Box Wrench

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
17mm	5714D	5814D
19mm	5714F	5814F
22mm	5714J	5814J
24mm	5714L	5814L
27mm	5714N	5814N
30mm	5714R	5814R
32mm	5714T	5814T
34mm	5714W	5814W
36mm	5714Y	5814Y
38mm	5715A	5815A

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
41mm	5715D	5815D
46mm	5715J	5815J
50mm	5715N	5815N
55mm	5715T	5815T
60mm	5715Z	5815Z
65mm	5716E	5816E
70mm	5716K	5816K
75mm	5716Q	5816Q
80mm	5716W	5816W

STAINLESS STEEL TOOLS**Double Open End Wrench**

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
5.5X7mm	5703C	5803C
6X7mm	5703E	5803E
7X9mm	5703G	5803G
8X10mm	5703J	5803J
9X11mm	5703L	5803L
10X11mm	5703N	5803N
10X12mm	5703Q	5803Q
10X14mm	5703S	5803S
12X13mm	5703V	5803V
12X14mm	5703X	5803X
14X15mm	5703Z	5803Z
14X17mm	5704B	5804B
16X17mm	5704D	5804D
16X18mm	5704F	5804F
17X19mm	5704H	5804H
17X21mm	5704K	5804K
18X19mm	5704M	5804M
19X21mm	5704R	5804R
19X24mm	5704T	5804T

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
20X22mm	5704W	5804W
21X23mm	5704Y	5804Y
21X26mm	5705A	5805A
22X24mm	5705C	5805C
22X27mm	5705E	5805E
23X26mm	5705G	5805G
24X27mm	5705J	5805J
24X30mm	5705L	5805L
25X28mm	5705N	5805N
26X32mm	5705Q	5805Q
27X30mm	5705S	5805S
30X32mm	5705W	5805W
30X36mm	5705Y	5805Y
32X34mm	5706A	5806A
32X36mm	5706C	5806C
34X36mm	5706E	5806E
36X38mm	5706G	5806G
36X41mm	5706J	5806J
38X40mm	5706L	5806L
41X46mm	5706N	5806N

Double Box Offset Wrench

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
5.5X7mm	5710C	5810C
6X7mm	5710E	5810E
7X9mm	5710G	5810G
8X10mm	5710J	5810J
9X11mm	5710L	5810L
10X11mm	5710N	5810N
10X12mm	5710Q	5810Q
12X13mm	5710R	5810R
12X14mm	5710X	5810X
14X17mm	5711B	5811B
16X18mm	5711F	5811F
17X19mm	5711H	5811H
17X22mm	5711L	5811L
18X19mm	5711M	5811M
19X22mm	5711R	5811R

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
19X24mm	5711T	5811T
21X23mm	5711Y	5811Y
21X26mm	5712A	5812A
22X24mm	5712C	5812C
24X27mm	5712J	5812J
24X30mm	5712L	5812L
25X28mm	5712N	5812N
26X32mm	5712Q	5812Q
27X30mm	5712S	5812S
30X32mm	5712W	5812W
30X36mm	5712Y	5812Y
32X34mm	5713A	5813A
32X36mm	5713C	5813C
34X36mm	5713E	5813E
36X41mm	5713J	5813J

Pipe Wrench (American Type)

Size	Material Grade	
	304 Order Code KEN-535	420 Order Code KEN-535
25X200mm	6600B	6601B
30X250mm	6600C	6601C
40X300mm	6600D	6601D
50X350mm	6600E	6601E

KENNEDY®
QUALITY INDUSTRIAL TOOLING**Pipe Wrench
(Aluminium Handle)**

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
60X450mm	6600G	6601G
75X600mm	6600K	6601K
85X900mm	6600N	6601N
110X1200mm	6600R	6601R

Adjustable Wrench

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
13X100mm	2010B	2012B
18X150mm	2010D	2012D
24X200mm	2010F	2012F
30X250mm	2010H	2012H
36X300mm	2010K	2012K
46X375mm	2010M	2012M
55X450mm	2010P	2012P
65X600mm	2010R	2012R

Adjustable C - Hook Wrench

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
20-35mm	5745C	5845C
35-60mm	5745D	5845D
60-90mm	5745E	5845E
90-155mm	5745F	5845F
155-230mm	5745G	5845G

Cross Pein Engineers Hammer

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
500g	3242V	3262V
1000g	3242X	3262X



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
250g	3243C	3263C
500g	3243E	3263E
750g	3243G	3263G

STAINLESS STEEL TOOLS**Chain Wrench**

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
100X600mm	5743B	5843B
200X600mm	5743C	5843C
300X900mm	5743D	5843D
400X900mm	5743E	5843E

C Hook Wrench


Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
30-32mm	5718C	5818C
34-36mm	5718E	5818E
40-42mm	5718G	5818G
45-50mm	5718H	5818H
52-55mm	5718J	5818J
58-62mm	5718L	5818L
68-75mm	5718N	5818N
80-90mm	5718Q	5818Q
95-100mm	5718S	5818S
110-115mm	5718V	5818V
120-130mm	5718X	5818X
135-145mm	5718Z	5818Z

Ball Pein Hammer

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
230g	3241C	3261C
340g	3241E	3261E
450g	3241G	3261G
680g	3241J	3261J

Nylon Hammer

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
800g	3300C	3310C
1000g	3300E	3310E



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
150g	3302D	3312D
250g	3302F	3312F
350g	3302H	3312H
500g	3302K	3312K

Lineman Pliers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
150mm	5006L	5026L
180mm	5006N	5026N
200mm	5006Q	5026Q

Adjustable Combination Pliers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
200mm	5007J	5027J

Diagonal Cutting Mini Pliers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
150mm	5007S	5027S

Pincers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
180mm	5007E	5027E

STAINLESS STEEL TOOLS

GROUP
535

Snipe Nose Pliers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
165mm	5006S	5026S
178mm	5006V	5026V
200mm	5006X	5026X

Power Side Cutter(American Patten)



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
190mm	5007N	5027N

Slip Joint Pliers




Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
165mm	5008D	5028D
250mm	5008F	5028F
300mm	5008H	5028H

Locking Pliers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
225mm	5006J	5026J

Socket (1/2")



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
6mm	5720C	5820C
7mm	5720D	5820D
8mm	5720E	5820E
9mm	5720F	5820F
10mm	5720G	5820G
11mm	5720H	5820H
12mm	5720J	5820J
13mm	5720K	5820K
14mm	5720L	5820L
15mm	5720M	5820M
16mm	5720N	5820N
17mm	5720P	5820P
18mm	5720Q	5820Q

Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
19mm	5720R	5820R
20mm	5720S	5820S
21mm	5720T	5820T
22mm	5720V	5820V
23mm	5720W	5820W
24mm	5720X	5820X
25mm	5720Y	5820Y
26mm	5720Z	5820Z
27mm	5721A	5821A
28mm	5721B	5821B
29mm	5721C	5821C
30mm	5721D	5821D
32mm	5721F	5821F

Socket (3/4")



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
17mm	5723P	5823P
19mm	5723R	5823R
21mm	5723T	5823T
22mm	5723V	5823V
24mm	5723X	5823X
26mm	5723Z	5823Z
27mm	5724A	5824A
29mm	5724C	5824C
30mm	5724D	5824D
32mm	5724F	5824F
34mm	5724H	5824H
36mm	5724K	5824K
38mm	5724M	5824M
41mm	5724Q	5824Q
46mm	5724W	5824W
50mm	5725A	5825A

Offset Handle



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
200mm	5733C	5833C
230mm	5733E	5833E
280mm	5733G	5833G

STAINLESS STEEL TOOLS

 GROUP
535

Socket (3/8")



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
5mm	5722A	5822A
5.5mm	5722B	5822B
6mm	5722C	5822C
7mm	5722D	5822D
8mm	5722E	5822E
9mm	5722F	5822F
10mm	5722G	5822G
11mm	5722H	5822H
12mm	5722J	5822J
13mm	5722K	5822K
14mm	5722L	5822L
15mm	5722M	5822M
16mm	5722N	5822N
17mm	5722P	5822P
19mm	5722R	5822R
20mm	5722S	5822S

Ratchet Wrench



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
3/8"X200mm	5731C	5831C
1/2"X245mm	5731E	5831E
3/4"X320mm	5731G	5831G
1"X550mm	5731J	5831J

Sliding T Handle



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
1/2"X250mm	5728C	5828C
3/4"X350mm	5728E	5828E
3/4"X400mm	5728G	5828G
1"X400mm	5728J	5828J

Speed Handle



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
300mm	5735C	5835C
390mm	5735E	5835E



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
1/2"X80mm	5726C	5826C
3/4"X110mm	5726E	5826E
1"X132mm	5726G	5826G

Cabinet Key



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
17X19X21X23	5719L	5819L
17X19X22X24	5719M	5819M

1/2"Dr Socket Set-17pcs



Contents :
 Sockets - 10mm-32mm,
 1X ratchet wrench;
 1X Sliding T handle;
 1 X speed handle,
 2 X driver extension;

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
17pcs	5739N	5839N

STAINLESS STEEL TOOLS

 GROUP
535

Flexi Socket Wrench



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
8X9mm	5737C	5837C
10X11mm	5737E	5837E
12X13mm	5737G	5837G
14X15mm	5737J	5837J
16X17mm	5737L	5837L
18X19mm	5737N	5837N
20X22mm	5737Q	5837Q
21X23mm	5737S	5837S
24X27mm	5737V	5837V

1/2"Dr Socket Set-13pcs



Contents :
 Sockets - 8mm-27mm,
 1X ratchet wrench,
 1X hinged handle

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
13pcs	5739K	5839K

1/2"Dr Socket Set-24pcs



Contents :
 Sockets - 10mm-32mm,
 1X ratchet wrench;
 1X Sliding T handle;
 1 X speed handle,
 2 X driver extension;
 1X Universal joint

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
24pcs	5739R	5839R

L-Type Socket Wrench



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
6mm	5741C	5841C
8mm	5741E	5841E
10mm	5741G	5841G
12mm	5741J	5841J
14mm	5741L	5841L
17mm	5741P	5841P
19mm	5741S	5841S
22mm	5741V	5841V

Phillips Screwdriver



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
PH0X50mm	5326B	5346B
PH1X75mm	5326D	5346D
PH1X100mm	5326F	5346F
PH2X150mm	5326H	5346H
PH3X200mm	5326K	5346K
PH3X250mm	5326M	5346M
PH4X300mm	5326P	5346P

Flat Chisel



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
14X160mm	2051D	2058D
16X160mm	2051H	2058H
18X160mm	2051M	2058M
18X200mm	2051N	2058N
20X200mm	2051S	2058S
24X250mm	2051X	2058X
24X300mm	2051Y	2058Y
25X300mm	2052C	2059C
25X400mm	2052E	2059E
25X500mm	2052G	2059G
30X500mm	2052M	2059M

Welded T Ball Hex Key



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
3mm	7504E	7508E
4mm	7504F	7508F
5mm	7504G	7508G
6mm	7504H	7508H
7mm	7504J	7508J
8mm	7504K	7508K
9mm	7504L	7508L
10mm	7504M	7508M

STAINLESS STEEL TOOLS

 GROUP
535

Slotted Screwdriver



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
3X50mm	5325B	5345B
4X75mm	5325D	5345D
5X100mm	5325F	5345F
6X150mm	5325H	5345H
8X200mm	5325K	5345K
9X250mm	5325M	5345M
10X300mm	5325P	5345P

Stubby Screwdrivers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
3X85mm	5327B	5347B
4X85mm	5327D	5347D
5X85mm	5327F	5347F
6X85mm	5327H	5347H
8X85mm	5327K	5347K

Hex Key Wrench



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
1.5mm	7500B	7502B
2mm	7500C	7502C
2.5mm	7500D	7502D
3mm	7500E	7502E
4mm	7500F	7502F
5mm	7500G	7502G
6mm	7500H	7502H
7mm	7500J	7502J
8mm	7500K	7502K
9mm	7500L	7502L
10mm	7500M	7502M
11mm	7500N	7502N
12mm	7500P	7502P
13mm	7500Q	7502Q
14mm	7500R	7502R


Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
15mm	7500S	7502S
16mm	7500T	7502T
17mm	7500V	7502V
18mm	7500W	7502W
19mm	7500X	7502X
21mm	7500Z	7502Z
22mm	7501A	7503A
24mm	7501C	7503C
25mm	7501D	7503D
26mm	7501E	7503E
27mm	7501F	7503F
28mm	7501G	7503G
30mm	7501J	7503J
32mm	7501L	7503L
36mm	7501Q	7503Q
41mm	7501W	7503W

T Type Hex Key Wrench

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
1.5mm	7506B	7510B
2mm	7506C	7510C
2.5mm	7506D	7510D
3mm	7506E	7510E
4mm	7506F	7510F
5mm	7506G	7510G
6mm	7506H	7510H
8mm	7506J	7510J
10mm	7506L	7510L



Flat Nose Tweezers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
150mm	2220D	2226D
200mm	2220F	2226F

Forceps And Tweezers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
120mm	2222C	2226C
140mm	2222E	2226E
160mm	2222G	2226G
180mm	2222J	2226J
200mm	2222L	2226L

Bucket



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
10L	9003C	9012C

Bucket



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
15L	9000C	9008C

STAINLESS STEEL TOOLS

 GROUP
535

Tweezers



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
100mm	2224A	2228A
120mm	2224C	2228C
140mm	2224E	2228E
160mm	2224G	2228G
180mm	2224J	2228J
200mm	2224L	2228L
250mm	2224N	2228N
300mm	2224R	2228R

Oil Funnel



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
Φ160X130mm	4200A	4205A
Φ160X150mm	4200B	4205B

Oil Dipper



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
Φ85X350mm	4201C	4206C

Bucket



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
10L	9001C	9009C
15L	9001E	9009E

Dustpan



Size	Material Grade	
	304	420
Order Code KEN-535	Order Code KEN-535	Order Code KEN-535
150mm	9006C	9014C
200mm	9006E	9014E
270mm	9006G	9014G

Ball Pein Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
230g	3240C	3260C
340g	3240E	3260E
450g	3240G	3260G
680g	3240J	3260J
910g	3240L	3260L
1130g	3240N	3260N

Pein Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
250g	3242C	3262C
300g	3242E	3262E

Club Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
2lb	3248C	3268C
4lb	3248E	3268E

Testing Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
150g	3243M	3263M
250g	3243P	3263P

Scaling Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
150g	3243V	3263V
300g	3243X	3263X

STAINLESS STEEL TOOLS

 GROUP
535

Claw Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
230g	3244C	3264C
450g	3244E	3264E
680g	3244G	3264G

Cross Pein Engineers Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
500g	3242G	3262G
1000g	3242J	3262J
1500g	3242L	3262L
2000g	3242N	3262N

Sledge Hammer



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
450g	3246C	3266C
1000g	3246E	3266E
1400g	3246G	3266G
1500g	3246J	3266J
1800g	3246L	3266L
2000g	3246N	3266N
2200g	3246Q	3266Q
2500g	3246S	3266S
2700g	3246V	3266V

Lineman Pliers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
6"	5000C	5020C
7"	5000E	5020E
8"	5000G	5020G
10"	5000J	5020J

Adjustable Combination Pliers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
6"	5001C	5021C
8"	5001G	5021G

Diagonal Cutting Pliers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
6"	5002C	5022C
8"	5002G	5022G

Slip Joint Pliers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
10"	5004J	5024J

Slotted Screwdriver



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
3mmX50mm	5300B	5330B
4.5mmX50mm	5300D	5330D
3mmX75mm	5301B	5331B
4mmX75mm	5301C	5331C
5mmX75mm	5301D	5331D
4mmX100mm	5302C	5332C
5mmX100mm	5302E	5332E
6mmX100mm	5302F	5332F
6mmX125mm	5303F	5333F
6mmX150mm	5304F	5334F

Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
7mmX150mm	5304G	5334G
8mmX150mm	5304H	5334H
8mmX200mm	5305H	5335H
9mmX250mm	5306J	5336J
11mmX250mm	5306L	5336L
10mmX300mm	5307K	5337K
11mmX300mm	5307L	5337L
11mmX350mm	5308L	5338L
12mmX400mm	5309M	5339M

Common Knife



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
80X190mm	3630C	3636C
137X250mm	3630E	3636E

Square Shovel



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
270X175X1400mm	2500F	2502F
418X240X1450mm	2500H	2502H

STAINLESS STEEL TOOLS


 GROUP
535

Snipe Nose Pliers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
6"	5003C	5023C
8"	5003G	5023G

Bolt Chipper



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
200mm	5005G	5025G

Phillips Screwdrivers



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
PH0X50mm	5320B	5340B
PH1X75mm	5321C	5341C
PH1X100mm	5321D	5341D
PH2X125mm	5322E	5342E
PH2X150mm	5322F	5342F
PH3X200mm	5323H	5343H
PH3X250mm	5323J	5343J
PH4X300mm	5324L	5344L
PH4X350mm	5324N	5344N
PH4X400mm	5324Q	5344Q
PH4X450mm	5324S	5344S

Putty Knife



Size	Material Grade	
	304	420
	Order Code KEN-535	Order Code KEN-535
25X200mm	3631F	3637F
40X200mm	3631H	3637H
50X200mm	3631K	3637K
65X200mm	3631M	3637M

Getting Back to Work Safely



Across all industry sectors

Oleonix Full Spectrum Cleaner cleans practically everything from practically every surface!

- Out performs and replaces all other cleaners in most applications
- Lower in-use costs
- Cuts cleaning time by up to 50%
- Less chemical needed for effective cleaning
- Saves water – “no rinse” cleaning and no waste water issues
- Minimises P.P.E. requirement
- Reduces cleaning frequency and improves productivity
- Preserves human health and environmental sustainability

Typical Applications	Multiple Surfaces
Engineering equipment	Stainless steel
Construction plant	Plastic
Food processing equipment	Wood
Food preparation areas	Ceramic/glass
Schools and colleges	Rubber
Oil exploration equipment	Metal
Marine	Concrete
Transport	Vinyl
Agriculture	Safety floors
Retail	Cladding
Warehousing	uPVC

Oleonix Full Spectrum Cleaner is suitable for all industry sectors and is ideal for the Facilities Management and Services Sector.


Available in:



Oleonix Full Spectrum Cleaner is certified safe to use and not to taint on food contact surfaces.

Designed for the toughest applications, Oleonix combines the latest sustainable chemical technology with the advanced Micriolysis process to lift out dirt like no other cleaner. Proven to remove even the most difficult industrial dirt including grease, oil and fats from the full spectrum of surfaces. Cleans virtually everything – simply change the dilution rate for optimum efficiency and cost effectiveness.

Conventional cleaning agents




Normal cleaners remove the larger particles




Embedded dirt remains in the surface valleys

Oleonix Micriolysis




Oleonix penetrates through the dirt



All embedded dirt is removed

Oleonix Full Spectrum Cleaner super concentrate, when combined with water at various dilutions, operates on the full spectrum of dirt including fats, greases, lipids, oils, proteins, sugars, starches, yeasts, algae etc. so that they can simply be wiped or rinsed away.

Typical dilution rates:



Heavy soiling, deep cleaning, compacted dirt, disinfecting.



General maintenance cleaning, daily cleaning.



Light cleaning, hard floor cleaning.

oleonix



Indonesiasales@cromwell.co.uk

www.cromwell.co.id

KENNEDY®

A **Cromwell** exclusive brand
Serving Indonesia Industry for 8 years

Stainless Steel Tools recommended for

Pharmaceutical & Healthcare

Food Processing Industry

Nuclear Power generation

Salt and Water treatment

Offshore (Oil & Gas/ Wind Power)

Laboratories and Clean Rooms

Ship Building & Marine Industry

Chemical Industry

Silicon Wafer Production

Humid Environments

**Tried, Tested &
Trusted in Industry**

Cromwell Authorised Reseller

PT Cromwell Tools

Subsidiary of Cromwell Group (Holdings), UK
Bizpark Warehousing Zone 2, Commercial Estate, Blok A No.7, 8 Jl. Raya
Penggilingan, Cakung, Pulo Gadung, Jakarta Timur 13940-Indonesia

Call : +62 21 29573960 Fax : +62 (21)29573961

Website : www.cromwell.co.id

Email : Indonesiasales@cromwell.co.uk

Keeping Industry Working